MEMBRAPOR Specification Sheet



Ammonia Gas Sensor NH3/MR-100-2E

NH3 Gas Sensor in Miniature Housing

Applications

- Leak Detection
- Discontinuous Measurement
- For Portable Gas Detectors

Measurement

Operation Principle	2-Electrode Electrochemical
Nominal Range	0 - 100 ppm
Maximum Overload	200 ppm
Inboard Filter	-
Output Signal	50 ± 10 nA/ppm
Resolution (Electronics dependent)	< 3 ppm
T90 Response Time	< 50 s
Typical Baseline Range (pure air, 20°C)	-8.0 ppm to 4.0 ppm
Maximum Zero Shift (+20°C to +40°C)	N.D.
Repeatability	< 3% of signal
Output Linearity	< 5 % full scale
Gain (Only applies to 4-Electrode sensors)	-

Rev.: Jul-23

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 1 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar

MEMBRAPOR Specification Sheet



Ammonia Gas Sensor NH3/MR-100-2E

Electrical

Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not allowed
Conformity to RoHS directive	RoHS Compliance

Environmental

Relative Humidity Range	15 % to 90 % RH non-condensing
Temperature Range	-10 °C to 50 °C
Pressure Range	Atmospheric
Pressure Coefficient	N.D.
Humidity Effect ¹⁾	< 4 ppm

1) Abrupt changes in rel. humidity causes a short-term transient signal.

Lifetime

Expected Long Term Output Drift in air< 5 % signal loss per 6 months	Filter Life not applicable	Expected Operation Life	2 years in air
Filter Lifenot applicableStorage Life3 months in container	Filter Lifenot applicableStorage Life3 months in containerRec. Storage Temperature5°C - 20°C	Expected Long Term Output Drift in air	< 5 % signal loss per 6 months
Storage Life 3 months in container	Storage Life3 months in containerRec. Storage Temperature5°C - 20°C		not applicable
Ĵ	Rec. Storage Temperature 5°C - 20°C		
		ç	

Rev.: Jul-23

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 2 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland


Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar





Ammonia Gas Sensor NH3/MR-100-2E

Miniature-Size Outline Dimensions



± 0.10 mm

Mechanical

Weight	5.5 g
Orientation	Any
Housing material	Polycarbonate

Rev.: Jul-23	Page 3 of 4
Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u>	Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar



Ammonia Gas Sensor NH3/MR-100-2E

Cross Sensitivity Data

The table below does not claim to be complete. We recommend using the target gas for calibration purposes. Using surrogate (interfering) gases can result in inaccuracies in the final calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
CO	300	0
CO ₂	20000	0
Cl ₂	20	-55
H ₂	200	0
H₂S	20	< 0.5
NO	20	-1
NO ₂	20	-20
SO ₂	20	-7

Important Notes

• Long term exposures and high concentrations of SO2, H2S, NO, NO2 can affect the performance characteristics.

Rev.: Jul-23

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 4 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar