



### Carbon Monoxide Gas Sensor CO/SF-10000-4E-S

CO Gas Sensor in Slim Housing

### **Applications**

- · Stack/ Flue Gas Monitoring
- Emission Monitoring
- H2-Compensated CO Measurement

#### **Measurement**

| Operation Principle                        | 4-Electrode Electrochemical |
|--|-----------------------------|
| Nominal Range                              | 0 - 10000 ppm               |
| Maximum Overload                           | 20000 ppm                   |
| Inboard Filter                             | To remove acidic gases      |
| Output Signal                              | 17 ± 4 nA/ppm               |
| Resolution (Electronics dependent)         | < 5 ppm                     |
| T90 Response Time                          | < 40 s                      |
| Typical Baseline Range (pure air, 20°C)    | -10 ppm to 20 ppm           |
| Maximum Zero Shift (+20°C to +40°C)        | N.D.                        |
| Repeatability                              | < 2 % of signal             |
| Output Linearity                           | Linear                      |
| Gain (Only applies to 4-Electrode sensors) |                             |

Rev.: Apr-20 Page 1 of 4

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar





## Carbon Monoxide Gas Sensor CO/SF-10000-4E-S

### **Electrical**

| Rec. Load Resistor           | 10 - 33 Ω       |
|------------------------------|-----------------|
| Bias (V_Sens-V_Ref)          | not recommended |
| Conformity to RoHS directive | RoHS Compliance |

### **Environmental**

| Relative Humidity Range | 15 % to 90 % RH non-condensing |
|-------------------------|--------------------------------|
| Temperature Range       | -40 °C to 50 °C                |
| Pressure Range          | Atmospheric ± 10%              |
| Pressure Coefficient    | N.D.                           |
| Humidity Effect         | None                           |

### **Lifetime**

| Expected Operation Life                | 3 years in air                  |
|--|---------------------------------|
| Expected Long Term Output Drift in air | < 2 % signal loss per month     |
| Filter Life                            | N.D.                            |
| Storage Life                           | 6 months in container           |
| Rec. Storage Temperature               | 5°C - 20°C                      |
| Warranty Period                        | 12 months from date of dispatch |

Rev.: Apr-20 Page 2 of 4

Phone: +41 43 311 72 00
Fax: +41 43 311 72 01
E-Mail: info@membrapor.ch
Website: www.membrapor.ch

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland


### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar





### Carbon Monoxide Gas Sensor CO/SF-10000-4E-S

#### **Slim-Size Outline Dimensions**



### **Mechanical**

Weight 27 g

Orientation Any

Housing material Polycarbonate

Rev.: Apr-20 Page 3 of 4

Phone: +41 43 311 72 00

Fax: +41 43 311 72 01

E-Mail: info@membrapor.ch

Website: www.membrapor.ch

Website: www.membrapor.ch

Switzerland

### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar





## Carbon Monoxide Gas Sensor CO/SF-10000-4E-S

### **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

| Interfering Gas  | Cross-Sens. [%] |
|------------------|-----------------|
| $H_2$            | <1              |
| H <sub>2</sub> S | 0               |
| NO               | 0               |
| $NO_2$           | 0               |
| SO <sub>2</sub>  | 0               |

### **Important Application Notes**

- The table contains the H2 cross sensitivity after applying compensation.
- See MEM6 for detailed description of H2 compensation.

Rev.: Apr-20 Page 4 of 4

Phone: +41 43 311 72 00
Fax: +41 43 311 72 01
E-Mail: info@membrapor.ch
Website: www.membrapor.ch

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar