

# **Specification Sheet**



Membrapor AG

Birkenweg 2

Switzerland

# Ethene, Ethylene Gas Sensor C2H4/CA-10

C2H4 Gas Sensor in Compact Housing

#### **Key Features**

• Highly selective Ethylene measurement in presence of CO and Alcohols

#### **Applications**

- · Discontinuous Measurement
- Fruit Ripening

#### <u>Measurement</u>

Operation Principle	3-Electrode Electrochemical	
Nominal Range	0 - 10 ppm	
Maximum Overload	100 ppm	
Inboard Filter	-	
Output Signal	350 ± 120 nA/ppm	
Resolution (Electronics dependent)	< 0.1 ppm	
T80 Response Time	< 60 s	
Typical Baseline Range (pure air, 20°C)	-0.3 ppm to 1 ppm	
Maximum Zero Shift (+20°C to +40°C)	see Graph	
Repeatability	< 2 % of signal	
Output Linearity	Linear	
Gain (Only applies to 4-Electrode sensors)	-	

Rev.: Nov-20 Page 1 of 6

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch CH-8304 Wallisellen Website: www.membrapor.ch

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar

For further information about usage of Membrapor sensors, see application note MEM1. The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions to ensure that the sensors are suitable for their own requirements.



# **Specification Sheet**



Membrapor AG

Birkenweg 2

Switzerland

### Ethene, Ethylene Gas Sensor C2H4/CA-10

#### **Electrical**

Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance

### **Environmental**

Relative Humidity Range	15 % to 90 % RH non-condensing	
Temperature Range	-40 °C to 50 °C	
Pressure Range	Atmospheric ± 10%	
Pressure Coefficient	N.D.	
Humidity Effect	None	

#### **Lifetime**

Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 5 % signal loss per month
Filter Life	
Storage Life	6 months in container
Rec. Storage Temperature	5°C - 20°C
Warranty Period	12 months from date of dispatch

Rev.: Nov-20 Page 2 of 6

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch CH-8304 Wallisellen Website: www.membrapor.ch

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar

For further information about usage of Membrapor sensors, see application note MEM1. The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions to ensure that the sensors are suitable for their own requirements.




# **Specification Sheet**



# Ethene, Ethylene Gas Sensor C2H4/CA-10

#### **Compact-Size Outline Dimensions**



#### **Mechanical**

Weight 13 g

Orientation Any

Housing material Polycarbonate

Rev.: Nov-20 Page 3 of 6

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar

For further information about usage of Membrapor sensors, see application note MEM1. The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions to ensure that the sensors are suitable for their own requirements.







## Ethene, Ethylene Gas Sensor C2H4/CA-10

#### **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
CO	100	8
Ethanol (C <sub>2</sub> H <sub>5</sub> OH)	600	0
Ethylenoxide (C <sub>2</sub> H <sub>4</sub> O)	100	< 10

Rev.: Nov-20 Page 4 of 6

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar

For further information about usage of Membrapor sensors, see application note <u>MEM1</u>. The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions to ensure that the sensors are suitable for their own requirements.








### Ethene, Ethylene Gas Sensor C2H4/CA-10

#### **Temperature dependence**

The output of an electrochemical sensor varies with temperature. The graphs below show the temperature-dependent variation of baseline and sensitivity, respectively. The results shown here are raw data (batch average) without any post-processing steps. The sensitivity and baseline are referenced to the signal at 20°C (reference point).

Please note: It is highly recommended to acquire the temperature dependence curves with the whole instrument. The sampling system, the humidity, the electronics and the interaction between the electronics and the sensor have a significant impact on the temperature dependence of the final measurement reading.



Baseline shifted with respect to reference point at 20°C.

Rev.: Nov-20 Page 5 of 6

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar


For further information about usage of Membrapor sensors, see application note <u>MEM1</u>. The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions to ensure that the sensors are suitable for their own requirements.







# Ethene, Ethylene Gas Sensor C2H4/CA-10



Sensitivity dependence expressed as a percentage of the output signal at reference point at 20 °C.

Rev.: Nov-20 Page 6 of 6

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar

For further information about usage of Membrapor sensors, see application note <u>MEM1</u>. The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions to ensure that the sensors are suitable for their own requirements.