





H2 Gas Sensor in Compact Housing

Applications

Safety and Process Control

Measurement

| Operation Principle | 3-Electrode Electrochemical | |
|--|-----------------------------|--|
| Nominal Range | 0 - 2000 ppm | |
| Maximum Overload | 4000 ppm | |
| Inboard Filter | - | |
| Output Signal | 23 ± 8 nA/ppm | |
| Resolution (Electronics dependent) | < 2.2 ppm | |
| T90 Response Time | < 45 s | |
| Typical Baseline Range (pure air, 20°C) | -15 ppm to 15 ppm | |
| Maximum Zero Shift (+20°C to +40°C) | see Graph | |
| Repeatability | < 2 % of signal | |
| Output Linearity | Linear | |
| Gain (Only applies to 4-Electrode sensors) | - | |

Rev.: Jan-21 Page 1 of 5

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar



Specification Sheet



Hydrogen Gas Sensor H2/C-2000

Electrical

| Rec. Load Resistor | 10 - 33 Ω |
|------------------------------|-----------------|
| Bias (V_Sens-V_Ref) | not recommended |
| Conformity to RoHS directive | RoHS Compliance |

Environmental

| Relative Humidity Range | 15 % to 90 % RH non-condensing | |
|-------------------------|--------------------------------|--|
| Temperature Range | -40 °C to 50 °C | |
| Pressure Range | Atmospheric ± 10% | |
| Pressure Coefficient | N.D. | |
| Humidity Effect | None | |

Lifetime

| Expected Operation Life | 2 years in air |
|--|---|
| Expected Long Term Output Drift in air | < 2 % signal loss per month after stabilization |
| Filter Life | |
| Storage Life | 6 months in container |
| Rec. Storage Temperature | 5°C - 20°C |
| Warranty Period | 12 months from date of dispatch |

Rev.: Jan-21 Page 2 of 5

Phone: +41 43 311 72 00
Fax: +41 43 311 72 01
E-Mail: info@membrapor.ch
Website: www.membrapor.ch

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland


Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar







Compact-Size Outline Dimensions



Mechanical

Weight 13 g

Orientation Any

Housing material Polycarbonate

Rev.: Jan-21 Page 3 of 5

Phone: +41 43 311 72 00 Membrapor AG Fax: +41 43 311 72 01 Birkenweg 2 CH-8304 Wallisellen E-Mail: info@membrapor.ch Website: www.membrapor.ch Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar







Cross Sensitivity Data

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

| Interfering Gas | Concentration [ppm] | Reading [ppm] |
|-----------------|---------------------|---------------|
| CO | 600 | 100 |

Important Application Notes

H2 sensors lose >10% of their initial sensitivity within the first month after production before the output stabilizes.

Rev.: Jan-21 Page 4 of 5

Phone: +41 43 311 72 00 Membrapor AG
Fax: +41 43 311 72 01 Birkenweg 2
E-Mail: info@membrapor.ch
Website: www.membrapor.ch
Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar








Temperature dependence

The output of an electrochemical sensor varies with temperature. The graphs below show the temperature-dependent variation of baseline and sensitivity, respectively. The results shown here are raw data (batch average) without any post-processing steps. The sensitivity and baseline are referenced to the signal at 20°C (reference point).

Please note: It is highly recommended to acquire the temperature dependence curves with the whole instrument. The sampling system, the humidity, the electronics and the interaction between the electronics and the sensor have a significant impact on the temperature dependence of the final measurement reading.



Baseline shifted with respect to reference point at 20°C.

Rev.: Jan-21 Page 5 of 5

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar