

## Hydrogen Sulfide Gas Sensor H2S/C-200

H2S Gas Sensor in Compact Housing

### **Applications**

- Discontinuous Measurement
- Safety and Environmental Control

### **Measurement**

Operation Principle	3-Electrode Electrochemical
Nominal Range	0 - 200 ppm
Maximum Overload	500 ppm
Inboard Filter	-
Output Signal	370 ± 80 nA/ppm
Resolution (Electronics dependent)	< 0.2 ppm
T90 Response Time	< 35 s
Typical Baseline Range (pure air, 20°C)	-2 ppm to 2 ppm
Maximum Zero Shift (+20°C to +40°C)	see Graph
Repeatability	< 2 % of signal
Output Linearity	Linear
Gain (Only applies to 4-Electrode sensors)	-

Rev.: Sep-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 1 of 5

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar



## Hydrogen Sulfide Gas Sensor H2S/C-200

<u>Electrical</u>	
Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance
<u>Environmental</u>	
Relative Humidity Range	15 % to 90 % RH non-condensing
Temperature Range	-40 °C to 50 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	N.D.
Humidity Effect	None
Lifetime	
Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 2 % signal loss per month
Filter Life	
Storage Life	6 months in container
Rec. Storage Temperature	5°C - 20°C
Warranty Period	12 months from date of dispatch

Rev.: Sep-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 2 of 5

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar






++15.4 mm→ +16.8 mm→

Ø1 mm Pins

on 17.0 mm PCD

### Hydrogen Sulfide Gas Sensor H2S/C-200

### **Compact-Size Outline Dimensions**



± 0.10 mm

### **Mechanical**

Weight	13 g
Orientation	Any
Housing material	Polycarbonate

Rev.: Sep-20	Page 3 of 5
Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u>	Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland
Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar	



## Hydrogen Sulfide Gas Sensor H2S/C-200

### **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
CO	100	< 2
H <sub>2</sub>	10000	< 12
Methanol (CH <sub>3</sub> OH)	300	0
NO	35	< 2
NO <sub>2</sub>	5	~ -1
SO <sub>2</sub>	100	~ 20
Methyl Mercaptan (MM, CH₃SH)	100	~ 50
Tert-Butyl Mercaptan (TBM, (CH <sub>3</sub> ) <sub>3</sub> CSH)	100	~ 35

Rev.: Sep-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 4 of 5

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar




## Hydrogen Sulfide Gas Sensor H2S/C-200

### Temperature dependence

The output of an electrochemical sensor varies with temperature. The graphs below show the temperature-dependent variation of baseline and sensitivity, respectively. The results shown here are raw data (batch average) without any post-processing steps. The sensitivity and baseline are referenced to the signal at 20°C (reference point).

Please note: It is highly recommended to acquire the temperature dependence curves with the whole instrument. The sampling system, the humidity, the electronics and the interaction between the electronics and the sensor have a significant impact on the temperature dependence of the final measurement reading.



Baseline shifted with respect to reference point at 20°C.

Rev.: Sep-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 5 of 5

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar