

Specification Sheet



Nitrogen Dioxide Gas Sensor NO2/S-20-S

NO2 Gas Sensor in Slim Housing

Applications

- · Continuous Air Quality Monitoring
- · Safety and Environmental Control

Measurement

Operation Principle	3-Electrode Electrochemical	
Nominal Range	0 - 20 ppm	
Maximum Overload	200 ppm	
Inboard Filter	-	
Output Signal	- 1100 ± 300 nA/ppm	
Resolution (Electronics dependent)	< 0.05 ppm	
T90 Response Time	< 60 s	
Typical Baseline Range (pure air, 20°C)	-0.1 ppm to 0.2 ppm	
Maximum Zero Shift (+20°C to +40°C)	0.05 ppm	
Repeatability	< 2 % of signal	
Output Linearity	Linear	
Gain (Only applies to 4-Electrode sensors)	-	

Rev.: Apr-20 Page 1 of 4

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar



Specification Sheet



Nitrogen Dioxide Gas Sensor NO2/S-20-S

Electrical

Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance

Environmental

Relative Humidity Range	15 % to 90 % RH non-condensing
Temperature Range	-40 °C to 50 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	N.D.
Humidity Effect	None

Lifetime

Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 2 % signal loss per month
Filter Life	
Storage Life	6 months in container
Rec. Storage Temperature	5°C - 20°C
Warranty Period	12 months from date of dispatch

Rev.: Apr-20 Page 2 of 4

Phone: +41 43 311 72 00
Fax: +41 43 311 72 01
E-Mail: info@membrapor.ch
Website: www.membrapor.ch

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar




Specification Sheet



Nitrogen Dioxide Gas Sensor NO2/S-20-S

Slim-Size Outline Dimensions



Mechanical

Weight 27 g

Orientation Any

Housing material Polycarbonate

Rev.: Apr-20 Page 3 of 4

Phone: +41 43 311 72 00

Fax: +41 43 311 72 01

E-Mail: info@membrapor.ch

Website: www.membrapor.ch

Website: www.membrapor.ch

Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar







Nitrogen Dioxide Gas Sensor NO2/S-20-S

Cross Sensitivity Data

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
C_2H_4	100	0
CH ₂ O	7	0
Cl_2	20	15
CO	100	0
Ethanol (C ₂ H ₅ OH)	60	0
H ₂	100	0
H ₂ S	20	< -20
HCI	20	0
NH ₃	80	0
NO	50	0
O_3	1	0.5
SO ₂	5	0

Rev.: Apr-20 Page 4 of 4

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar