# **MEMBRAPOR** Specification Sheet



## Acetic Acid Gas Sensor Acid/M-100

**RCOOH Gas Sensor in Miniature Housing** 

## Key Features

• Selective Measurement of Organic Acids

## **Applications**

- Safety and Process Control
- Continuous Air Quality Monitoring
- For Portable Gas Detectors

## **Measurement**

Operation Principle	3-Electrode Electrochemical
Nominal Range	0 - 100 ppm
Maximum Overload	200 ppm
Inboard Filter	-
Output Signal	Formic Acid: - 90 ± 60 nA/ppm
	Acetic Acid: - 70 ± 40 nA/ppm
Resolution (Electronics dependent)	< 1 ppm
T90 Response Time	< 60 s
Typical Baseline Range (pure air, 20°C)	-2 ppm to 1 ppm
Maximum Zero Shift (+20°C to +40°C)	0.2 ppm
Repeatability	< 2 % of signal
Output Linearity	Linear
Gain (Only applies to 4-Electrode sensors)	-

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 1 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar

# **MEMBRAPOR** Specification Sheet



## Acetic Acid Gas Sensor Acid/M-100

<u>Electrical</u>	
Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not allowed
Conformity to RoHS directive	RoHS Compliance
Environmental	
Relative Humidity Range	15 % to 90 % RH non-condensing
Temperature Range	-10 °C to 50 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	N.D.
Humidity Effect	None
Lifetime	
Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 2 % signal loss per month
Filter Life	
Storage Life	6 months in container
Rec. Storage Temperature	5°C - 20°C
Warranty Period	12 months from date of dispatch

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 2 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland


#### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar





## Acetic Acid Gas Sensor Acid/M-100

#### **Miniature-Size Outline Dimensions**



± 0.10 mm

### **Mechanical**

Weight	5.5 g
Orientation	Any
Housing material	Polycarbonate

Rev.: Apr-20	Page 3 of 4	
Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u>	Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland	
Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar		

# **MEMBRAPOR** Specification Sheet



## Acetic Acid Gas Sensor Acid/M-100

## **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
Cl <sub>2</sub>	20	150
Methanol (CH <sub>3</sub> OH)	150	0
NH <sub>3</sub>	80	-12
NO <sub>2</sub>	5	30
O <sub>3</sub>	1	5
SO <sub>2</sub>	5	> -25

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 4 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar